QRS-117 Complex Electronic Hardware, Quality Requirements for Suppliers I-RAIH



Complex Electronic Hardware, Quality Requirements for Suppliers QRS-117 Issue 05

Page 1/18

JULY 2025

QRS-107 Complex Electronic Hardware, Quality Requirements for Suppliers

| <u>Owned by</u> : | G. Cirino |
|----------------------------------|-----------------|
| | |
| | |
| | |
| <u>Approved by</u> : Head of SQA | Fabio Menciotti |
| <u>Approved by</u> : Head of SQA | Fabio Menciotti |

QRS-117

Complex Electronic Hardware, Quality Requirements for Suppliers

Issue Date: July 2025 Issue: 05

CHANGES LOG

| Issue | Approval Date | Main changes | Interested Paragraphs |
|-------|---------------|--|------------------------------|
| 01 | December 2013 | First issue | All |
| 02 | April 2015 | Clerical Error correction and new layout | All |
| 03 | June 2018 | Document significantly rewritten and reformatted | All |
| 04 | June 2019 | Work Products and Verification Identification of sub-phases | 6.2 6; 7; 8; 9; 10; 11 |
| 05 | July 2025 | Added reference to AMC 20-152A and CM-SWCEH-001 Updated Verification phases | 2.2, 2.3, 6.2, 6.3 6.2 |

APPLICABLE DOCUMENTS

This document *shall* be applied together with the main document (QRS-01 Quality Requirements for Suppliers) and with the other applicable modules. The external documents in the table below also apply.

| Documents Code | Document title |
|-----------------------|---|
| | Quality Management Systems – Requirements for Aviation, |
| EN/AS/JISQ9100 | Space and Defense Organisations |
| | § 6.2, 6.2.1 and 6.2.2 |
| | Certification procedure for Aircraft and related Products and |
| EASA Part 21 | Parts" |
| | § 21A.145(c) (1), 21A.145(c) (2), 21A.145 (d) (1). |
| EASA Part 145 | § M.A. 606, M.A. 607, M.A. 707,145.A.35 |
| ISO 9001 | Quality management systems - Requirements |
| 130 9001 | § 6.2, 6.2.1 and 6.2.2 |
| RTCA DO-254, | Design Assurance Guidance for Airborne Electronic Hardware |
| EASA CM No.: EASA CM | EASA CERTIFICATION MEMORANDUM Development |
| - SWCEH - 001 | Assurance of Airborne Electronic Hardware |

CONTENTS

| 1 | Purpose | 4 |
|----|--|----------|
| 2 | Applicability | 4 4 |
| 3 | Effective date | 5 |
| 4 | Acronyms, definitions and abbreviations | 5 |
| 5 | General Requirements 5.1 Supplier Approval 5.2 Sub-tiers | 6 |
| 6 | Introduction 6.1 Hardware Development Life Cycle 6.2 Work Products and Verification. 6.3 Tools Qualification | 6 7 |
| 7 | Phase 1 – Planning | |
| 8 | Phase 2 – Preliminary design 8.1 Preliminary Design - Activities 8.2 Preliminary Design - Work Products 8.3 Preliminary Design - Verification | 12 12 |
| 9 | Phase 3 – Design Implementation 9.1 Design Implementation - Activities 9.2 Design Implementation - Work Products 9.3 Design Implementation - Verification 9.4 Engineering Implementation – Work Products | |
| 10 | Phase 4 – Production 10.1 Production - Activities 10.2 Production - Work Products 10.3 Production - Verification | |
| 11 | Manufacturing | 15 |
| 12 | Appendices, Annexes and Forms | |

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 4/18 |
|---|------------------|-----------|
| | July 2025 | |

1 Purpose

This document provides guidelines for the Leonardo Helicopters Suppliers of systems, subsystems and/or equipment containing Complex Electronic Hardware.

This document contains the LH engineering requirements for the Suppliers in terms of compliance to the applicable standards and documentation to be provided in order to ensure that the delivered product is in accordance with the applicable specifications.

In particular, it defines Quality and Qualification requirements to be met during the development phase by Suppliers using Complex Electronic Hardware.

2 Applicability

2.1 Complex Electronic Hardware

This document is applicable to Complex Electronic Hardware used for airborne systems, subsystems and equipment installed on LH aircrafts, and shall be *shall* be applied jointly with the QRS-115 for the general requirements.

According to the definition given in <u>paragraph 4.2</u>, the following is a list of Complex Hardware for which this document applies (the list is not exhaustive and does not include all the possible devices):

- PLD (Programmable Logic Devices)
- ASIC (Application Specific Integrated Circuits)
- FPGA (Field Programmable Gate Array)

2.1.1 Previously Developed Hardware

Modifications to previously developed Hardware refer to the following situation:

- Change of Aircraft Installation
- Change of Application or Design Environment
- Upgrade of a Design Baseline

In these cases the requirements of this document shall be tailored according to what stated in the paragraph 11.1 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

The intention to use previously developed Hardware shall be stated in the PHAC.

2.1.2 Commercial Off The Shelf (COTS) Components Usage

The use of COTS components shall be verified through the overall Hardware life cycle, as defined in this document. Requirements shall be tailored according to what stated in the paragraph 11.2 of the RTCA DO-254.

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 5/18 |
|---|------------------|-----------|
| | July 2025 | |

Both for previously developed Hardware and COTS components, the service experience data can be used for design assurance; the relevance and acceptability of the service experience data shall be verified according to the aspects described in the paragraph 11.3 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

The PHAC shall specifically address those aspects where the design assurance of parts of an application relies on service experience data.

In case programme specific requirements are present, this procedure shall be used to integrate not foreseen activities. In any case, whenever a conflict arises, programme requirements prevail on this document.

3 Effective date

Issue date

4 Acronyms, definitions and abbreviations

4.1 Acronyms and abbreviation

ASIC Application Specific Integrated Circuits

CDR Critical Design ReviewCOTS Commercial Off The Shelf

CVE Compliance Verification Engineer

DAL Design Assurance Level

FCA Functional Configuration Audit

FDR Final Design Review

FPGA Field Programmable Gate ArrayHAS Software Accomplishment Summary

HW Hardware

LH Leonardo HelicoptersMoM Minute of MeetingN.A. Not Applicable

PCA Physical Configuration Audit PDR Preliminary Design Review

PHAC Plan for Hardware Aspects of Certification

PLD Programmable Logic Devices

PLR Planning Review

SW Software

4.2 Definitions

Complex Electronic Hardware: A hardware item is identified as simple only if a comprehensive combination of deterministic tests and analyses, appropriate to the design assurance level, can ensure correct functional performance under all foreseeable operating

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 6/18 |
|---|------------------|-----------|
| | July 2025 | |

conditions, with no anomalous behaviour. When an item cannot be classified as simple, *it is classified as complex*.

5 General Requirements

5.1 Supplier Approval

Leonardo Helicopters Suppliers are classified and approved in accordance with what established by AW LH internal procedures.

The classification is reported in the Certificate delivered to the Supplier.

Any Supplier responsible for a design and development activity where Complex Electronic Hardware is involved shall be included in the LH approved Suppliers database and its product range shall include the capability to supply *Complex Electronic Hardware*.


5.2 Sub-tiers


Whenever the Supplier transfers the design and/or qualification of a system, sub-system and/or equipment containing Complex Electronic Hardware to any Subcontractor (completely, or partially), the Supplier remains responsible towards Leonardo Helicopters of both the Hardware design and its qualification.

6 Introduction

6.1 Hardware Development Life Cycle

For the scope of this document, the Hardware development process is outlined as follow:





| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 7/18 |
|---|------------------|-----------|
| | July 2025 | |

The main process is characterised by four phases (Planning, Preliminary Design, Design Implementation and Production). Preliminary and Design Implementation phases consist of the sub-phases from Requirements Capture to Implementation.

Established transition criteria shall be satisfied to access from a phase to the following one. Transition criteria shell be documented in the Hardware plans.

The phase outputs shall be verified in formal reviews (see next paragraph), whose positive results confirm the completion of all anticipated activities and the due conformity of the produced documentation.

In the following chapters, for each phase main goals and activities are described, including documents (work products) to be issued.

6.2 Work Products and Verification

For each phase, this document lists the typical expected work products and verification events (Design Reviews).

The Submission Criteria listed for the work products verified during Design Review shall be understood as follows:

| According to the contract | The level of LH approval is defined in each contract |
|---------------------------|---|
| Approval | Work product shall be formally approved by LH deputed |
| Арріочаі | people and by Civil or Military Authorities as applicable |
| Acceptance | Work product shall be formally accepted by LH deputed |
| | people through COMO or equivalent |
| Available | Work product shall be available and verifiable during LH |
| Available | audits or progress meetings |
| Review | No LH formal approval required, but comments can be |
| Review | raised |
| Information | No LH formal approval required |

Unless differently specified, each work product shall be submitted to the Engineering LH focal point defined in the SoW, who is in charge to coordinate and provide approval inside LH. The work products related to the Review requiring LH Approval/Review shall be delivered to LH at least 15 working days before.

The Supplier shall tailor the list according to contractual requirements and Hardware Design Assurance Level, justifying if a work product or a verification event will be not considered. The reference for work product tailoring and configuration control category is the Table A-1 contained in the Appendix A of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

The identification of the Supplier Design Reviews along the life cycle shall be defined within the Plans.

In particular, as a minimum, the following aspects shall be described:

- Purpose of Review (or Analysis);
- Organisations to participate in the Review;

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 8/18 |
|---|------------------|-----------|
| | July 2025 | |

- Review (or Analysis) criteria;
- Detailed instructions for conducting the Review (or Analysis)
- Review (or Analysis) acceptability and completion criteria.

For Design Assurance Level A and B the above information can be included in the following document:

| Document | RTCA DO-254 | Submission Criteria |
|--------------------------------|-------------|---------------------|
| Review and Analysis Procedures | 10.4.2 | Review |

Independently from Design Assurance Level, Reviews results can be included in the following document:

| Document | RTCA DO-254 | Submission Criteria |
|-----------------------------|-------------|---------------------|
| Review and Analysis Results | 10.4.3 | Information |

6.3 Tools Qualification

RTCA DO-254 tools may be classified as follows:

- RTCA DO-254 development tools
 - They provide outputs which are actually present in the embedded operational avionics Hardware.
- RTCA DO-254 verification tools
 They are used to assist RTCA DO-254 verification.

Such tools shall apply RTCA DO-254 Hardware lifecycle aspects to ensure integrity and, when they automate or replace process steps cited by RTCA DO-254 and their outputs are not verified manually or by other qualified tools, they shall be qualified.

Tools assessment and qualification steps are described in the paragraph 11.4 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority; in the same paragraph, tools data needed to substantiate the assessment and qualification activities are also listed.


The process is summarized in the following flow chart.

Complex Electronic Hardware, Quality Requirements for Suppliers

QRS-117 Issue 05

Page 9/18


July 2025



Tool Assessment and Qualification steps

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 10/18 |
|---|------------------|------------|
| Complex Electronic Flaraware, adamy recognitions for Suppliers | July 20 | 025 |

7 Phase 1 – Planning



7.1 Planning - Activities

The activities related to the planning phase objectives are those described in the paragraph 4.2 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

In addition, the Supplier shall list, in the Hardware Process Assurance Plan, all the main Subcontractors (if any) and the relative responsibilities establishing the different activities between Supplier and Subcontractor.

The Supplier shall also include in the Hardware Process Assurance Plan a "Compliance Matrix" against the paragraphs from 5 to 11 of this document (summarised in Annex A), tailoring these requirements to the contractual ones (reference to contractual documents shall be included).

NOTE: For Design Assurance Levels C and D (for which a Hardware Process Assurance Plan is not required) the above information shall be included in the general Quality Assurance Plan.

The Hardware Configuration Management Plan shall include how the Supplier intends to manage possible changes/evolutions affecting the physical chips contained in the Complex Electronic Hardware devices (for example caused by obsolescence, performances improvements, HW resources modifications).

At least in this cases, the Supplier shall:

- inform LH about the content of the change/evolution
- perform a regression analysis evaluating the change/evolution impact on the device required functionality

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 11/18 | | |
|---|------------------|------------|--|--|
| Complex Electronic Hardware, Quality Requirements for Suppliers | July 2025 | | | |

7.2 Planning - Work Products


According to the applicable Standard, the following documents represent the output of the Planning Phase.

| Doc | Document | | D | ٩L | | RTCA | Submission | |
|-----|---|----------|----------|-------------|----------|--------|------------|--|
| Doc | cument | Α | В | ၁ | D | DO-254 | Criteria | |
| 1 | Plan for Hardware Aspects of Certification (PHAC) | ✓ | √ | ✓ | √ | 10.1.1 | Acceptance | |
| 2 | Hardware Design Plan | ✓ | > | \ | | 10.1.2 | Acceptance | |
| 3 | Hardware Validation Plan | ✓ | √ | ✓ | | 10.1.3 | Acceptance | |
| 4 | Hardware Verification Plan | ✓ | ✓ | ✓ | ✓ | 10.1.4 | Acceptance | |
| 5 | Hardware Configuration Management Plan | ✓ | > | \ | ✓ | 10.1.5 | Acceptance | |
| 6 | Hardware Process Assurance Plan (see Note above) | ✓ | > | > | | 10.1.6 | Approval | |
| 7 | Requirements Standards | ✓ | > | \ | | 10.2.1 | Review | |
| 8 | Hardware Design Standards | ✓ | > | \ | | 10.2.2 | Review | |
| 9 | Validation and Verification Standards | ✓ | > | > | | 10.2.3 | Review | |
| 10 | Hardware Archive Standards | √ | ✓ | \ | | 10.2.4 | Review | |

7.3 Planning - Verification

Work products originated during this phase shall be verified in a *PLR - Planning Review*. The Planning review can be combined with the PDR (*Preliminary Design Review*, see <u>paragraph 8.3</u>), including the verification of Requirement Capture and Conceptual Design steps.

8 Phase 2 – Preliminary design



| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 12/18 | | |
|---|------------------|------------|--|--|
| Complex Electionic Hardware, Quality Requirements for Suppliers | July 2025 | | | |

8.1 Preliminary Design - Activities

The activities related to the preliminary design phase objectives are those described in the paragraphs 5.1.2 and 5.2.2 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

8.2 Preliminary Design - Work Products


According to the applicable Standard, the following document represent the output of the preliminary design Phase.

| Dor | cument | DAL | | | DAL RTCA Submission | | Submission |
|-----|------------------------|-----|---|---|---------------------|----------|------------|
| Doc | , unient | Α | В | С | D | DO-254 | Criteria |
| 1 | Hardware Requirements | ✓ | ✓ | ✓ | ✓ | 10.3.1 | Approval |
| 2 | Conceptual Design Data | ✓ | ✓ | ✓ | | 10.3.2.1 | Review |

8.3 Preliminary Design - Verification

Work products originated during this phase shall be verified in a *PDR – Preliminary Design Review*.

9 Phase 3 – Design Implementation



9.1 Design Implementation - Activities

The activities related to the design implementation phase objectives are those described in the paragraphs 5.3.2 and 5.4.2 of the RTCA DO-254 and the latest applicable revision of AMC 20-152A or CM-SWCEH-001 as required by the authority.

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 13/18 |
|---|------------------|------------|
| | July 20 |)25 |

9.2 Design Implementation - Work Products

According to the applicable Standard, the following document represent the output of the design implementation Phase.

| Day | Document | | D | ٩L | | RTCA | Submission | |
|-----|-----------------------------------|---|----------|----|---|------------|------------|--|
| Doc | sument | Α | В | С | D | DO-254 | Criteria | |
| 1 | Hardware Requirements | ✓ | ✓ | ✓ | ✓ | 10.3.1 | Approval | |
| 2 | Top-Level Drawing | ✓ | ✓ | ✓ | ✓ | 10.3.2.2.1 | Review | |
| 3 | Assembly Drawings | ✓ | ✓ | ✓ | ✓ | 10.3.2.2.2 | Available | |
| 4 | Installation Control Drawings | ✓ | ✓ | ✓ | ✓ | 10.3.2.2.3 | Available | |
| 5 | Hardware/Software Interface Data | ✓ | ✓ | ✓ | ✓ | 10.3.2.2.4 | Review | |
| 6 | Hardware Acceptance Test Criteria | ✓ | ✓ | ✓ | ✓ | 10.5 | Approval | |
| 7 | Hardware Traceability Data | ✓ | ✓ | ✓ | ✓ | 10.4.1 | Available | |
| 8 | Hardware Test Procedures | ✓ | ✓ | ✓ | ✓ | 10.4.4 | Approval | |

9.3 Design Implementation - Verification

Work products originated during this phase shall be verified in a CDR - Critical Design Review.

9.4 Engineering Implementation – Work Products

If the Supplier needs to freeze an intermediate Complex HW development configuration delivered for Avionics integration RIG test, or subsystem test, or flight test before conclusion of the whole integration test phase, a DR – Delivery Review shall be done.


In this case, an agreed subsystem of the work products listed for the FDR (see the following table) shall be also presented and delivered.

| | | | D A | AL | | RTCA | Submission |
|------|--|----------|------------|-----------|---|--------|------------|
| Docu | ıment | A | В | С | D | DO-254 | Criteria |
| 1 | Hardware Configuration Index | ✓ | ✓ | ✓ | ✓ | 10.7 | Acceptance |
| 2 | Hardware Test Procedure | ✓ | ✓ | ✓ | ✓ | 10.4.4 | Acceptance |
| 3 | Hardware Test Result | ✓ | ✓ | ✓ | ✓ | 10.4.5 | Acceptance |
| 4 | Traceability Matrix containing HW requirements vs System Requirements | ✓ | ✓ | ✓ | ✓ | 10.4.1 | Acceptance |
| 5 | List of Open PRs or limitations with an associated safety analysis | ✓ | √ | ✓ | ✓ | 10.6 | Acceptance |
| 6 | Declaration of Design and Performance | | | | | - | Acceptance |

The subsystem of the work products shall be agreed with LH in advance and included in the Delivery Review MoM.

For further intermediate deliveries related to the same HW Part Number is acceptable that the Supplier formally informs LH (i.e. with a Coordination Memo) about the work products "delta", without an updating of the documents; only the DDP shall be always reissued when the delivery is for flight test. NOTE - Once the Integration/Qualification activities are positively concluded, the work products shall be re-issued, incorporating all the "delta" occurred during intermediate deliveries.

10 Phase 4 – Production



10.1 Production - Activities

The activities related to the production phase objectives are those described in the paragraph 5.5.2 of the RTCA DO-254.

The main outputs of this phase are represented by test results and evidences in order to ensure that the Hardware item is built in compliance with its design data (this can be achieved, for example, by FCA/PCA activity or First Article Inspection). These FCA/PCA or FAI results shall be reported within any First Article Inspection applicable for higher level assemblies (ref. QRS-101)

The issuing of the Hardware Accomplishment Summary closes the activities related to the certification.

10.2 Production - Work Products

According to the applicable Standard, the following document represent the output of the production Phase.

| Doc | cument | | DA | ۸L | | RTCA | Submission |
|-----|---------------------------------|----------|----------|----------|----------|--------|------------|
| DOC | sument | Α | В | ပ | D | DO-254 | Criteria |
| 1 | Hardware Test Results | ✓ | ✓ | ✓ | ✓ | 10.4.5 | Review |
| 2 | FCA/PCA Report | ✓ | ✓ | ✓ | ✓ | 8.2.5 | Review |
| | First Article Inspection Report | ✓ | ✓ | ✓ | √ | 8.2.5 | Review |
| 3 | Hardware Accomplishment Summary | ✓ | ✓ | √ | ✓ | 10.9 | Acceptance |
| 4 | Hardware Configuration Index | √ | √ | ✓ | ✓ | 10.7 | Acceptance |


| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 15/18 |
|---|------------------|------------|
| Complex Electronic Hardware, Quality Requirements for Suppliers | July 20 |)25 |

The Supplier shall submit for approval to LH Engineering focal point and CVE the complete list of known problems and limitations before their inclusion in relevant documentation (HAS) for the Review.

10.3 Production - Verification

Work products originated during this phase shall be verified in a FDR - Final Design Review.

11 Manufacturing



The manufacturing phase assures the consistent replication of the Hardware item.

11.1 Manufacturing - Acceptance test

Each manufactured Hardware item shall be submitted to an acceptance test.

Scope of the test is to demonstrate compliance with the key attributes of the item on which certification is based.

Acceptance test criteria should ensure that:

- Electrical tests are identified.
- Environmental screening tests are identified when necessary.
- The acceptance test provides coverage of those design aspects necessary to meet the safety requirements. Safety related item or sub-items that are not covered by the test shell be identified and other assurance means provided. These means may include analysis, design control, statistical process control or other means as appropriate.

11.2 Manufacturing - Series production

This process reproduces the Hardware item on a routine basis that complies with the production data and requirements.

| Complex Electronic Hardware, Quality Requirements for Suppliers | QRS-117 Issue 05 | Page 16/18 |
|---|------------------|------------|
| Complex Electronic Hardware, addity requirements for cuppliors | July 2 | 025 |

During series production the following aspects shall be considered:

Management of change of the production processes or the design provides assurance that change does not adversely impact existing safety or certification or compliance to the requirements.

Updating of all documentation related to changes is performed in compliance with approved configuration management plans.

12 Appendices, Annexes and Forms

Annex A: Compliance Matrix

Complex Electronic Hardware, Quality Requirements for Suppliers

QRS-117 Issue 05 Page 17/18

July 2025

Annex A - Compliance Matrix

The following table summarise the requirements listed in this document for which the Supplier shall demonstrate compliance (or give a reference) in its Hardware Process Assurance Plan (see Note of <u>paragraph 7.1</u> for Level C and D).

| Paragraph | Requirement |
|-------------|---|
| <u>5.1</u> | The Supplier shall be included in the LH approved Suppliers database. |
| <u>5.1</u> | The Supplier product range shall include the capability to supply Complex Electronic Hardware. |
| <u>5.2</u> | Whenever the Supplier transfers the design and/or qualification of a system, sub-system and/or equipment containing Complex Electronic Hardware to some Subcontractor (completely, or in part), the Supplier remains responsible toward LH of both the Software design and its qualification. |
| <u>5.2</u> | The Supplier shall produce to LH all the required evidences and work products issued by the Subcontractor, adding its approval. |
| <u>5.2</u> | The Supplier shall assure that its Subcontractors are able to satisfy the requirements of this document. |
| <u>5.2</u> | The Supplier shall warrant and produce evidence to LH about Subcontractors qualification, including facilities they intend to utilise. |
| <u>6.1</u> | The Supplier shall establish transition criteria that are to be satisfied to access from a life cycle phase to the following one. |
| <u>6.1</u> | The Supplier shall verify phase outputs in formal reviews. |
| <u>6.2</u> | The list of reviews to be performed along the Hardware development life cycle is required. The work products related to the Review requiring LH Approval/Review shall be delivered to LH at least |
| <u>6.2</u> | 15 working days before. |
| <u>6.2</u> | The Supplier Design Review procedures shall be defined within the Plans. |
| | The following aspects shall be described (or the reference included): |
| | a) Purpose of Review |
| 6.0 | b) Organizations to participate in the Review |
| <u>6.2</u> | c) Review criteria |
| | d) Detailed instructions for conducting the Review |
| | e) Review acceptability and completion criteria |
| <u>6.3</u> | RTCA DO-254 tools for which the outputs are not verified manually or by other qualified shall be qualified. |
| <u>6.3</u> | The Supplier shall list the development and verification tools, specifying how their qualification will be demonstrated. |
| <u>7</u> | List of work products that the Supplier will issue during the Planning phase shall be provided. |
| <u>7.1</u> | The Plan shall list all the main Subcontractors (if any) and the relative responsibilities establishing the different activities between Supplier and Subcontractor. |
| <u>7.1</u> | The Supplier shall include a "Compliance Matrix" against this document. |
| <u>7.1</u> | The Hardware Configuration Management Plan shall include how the Supplier intends to manage possible changes/evolutions affecting the physical chips contained in the Complex Electronic Hardware devices. |
| 7.1 | In case of chip change/evolution, the Supplier shall: • inform LH about the content of the change/evolution |
| <u>7.1</u> | perform a regression analysis evaluating the change/evolution impact on the device required functionality |
| <u>8</u> | List of work products that the Supplier will issue during the Hardware Preliminary Design phase shall be provided. |
| <u>9</u> | List of work products that the Supplier will issue during the Design Implementation phase shall be provided. |
| <u>10</u> | List of work products that the Supplier will issue during the Production phase shall be provided. |
| 10.2 | The Supplier shall submit for approval to LH Engineering focal point and CVE the complete list of known problems and limitations before their inclusion in relevant documentation (HAS). |
| <u>11.1</u> | An acceptance test for each manufactured item shall be established. |
| 11.2 | Management of change of the production processes shall be defined. |